

STAINLESS STEEL

NOCOMAX

The aerial surface bio-disinfection device for large volumes.



Manufactured in France by Oxy'Pharm according to ISO 13485.

The **Stainless steel nocomax** is a surface bio-disinfection unit developed for industrial use, which can treat volumes of 500 to 20,000 m³.

It ensures aerial surface disinfection or disinsectisation when used along with our Nocolyse or Oxyppy ranges. A dry fog allows a uniform treatment of every cm² of surfaces, as a preventive or curative measure.

It is suitable for all fields of activity: communities, health, pharma-cosmetics, agri-food, transport, veterinary, tourism, trade and distribution, etc.



EASY TO USE

Easy adjustment for the volume of the room to be treated thanks to its touchpad.



ECONOMICAL

Very small amount of product required.



GUARANTEED TIME SAVING

No preparation required before treatment (except for cleaning) or after treatment (no need to wipe or ventilate).

COMPATIBILITY

- Disinfectant cans (**20 L**): Nocolyse, Nocolyse+, Nocolyse Food, Nocolyse One Shot.
- Insecticide cans (**20 L**): Oxyppy, Oxyppy+.

PRECAUTIONS FOR USE

Read all product information before use. Instructions for use are available on request by email: info@biohygien teknik.com

TECHNICAL CHARACTERISTICS

Dimensions (L x W x H cm)	53.8 x 56.8 x 104.4 cm
Empty weight	45 kg
Packaging	
- Dimensions (L x W x H cm)	72 x 68 x 120 cm
- Weight	50 kg
Maximal treatment volume	20,000 m ³
Turbine speed	22,000 rpm
Output speed of the mist	80 m/s
Average liquid flow rate	6,000 ml/h
Storage conditions	
- Temperature	0°C to 50°C
- Hygrometry	25% to 75%
Power	2000 W
Average particle size	5 μ

REFERENCES

DEVICE	REFERENCE
Stainless steel nocomax	3100.120

THE BIO-DISINFECTION PROCESS



1. INSTALLATION

Installation of the Stainless steel nocomax in the room to be treated.



2. SPRAYING

Spraying of the product in the form of a dry mist in the room to be treated, evenly over all accessible surfaces.



3. CONTACT TIME

The dry mist remains suspended in the air and eliminates all micro-organisms (viruses, bacteria, spores, yeasts, etc.) present on the accessible surfaces of the room.



4. BIODEGRADATION

The dry mist naturally degrades without leaving any residue and without corroding surfaces (including electronic and mechanical ones). No need to wipe or ventilate.

ACCESSORIES



The programmer

Allows for delayed activation of the device.



Nocobox

Allows control of the microbiological efficiency obtained.



Nocotest

Checks the proper distribution of the products on the surfaces.