

OXYPY

Ready-to-use
insecticide.



■ ■ Manufactured in France by Oxy'Pharm according to ISO 13485.
Use biocidal products carefully. Read the label and product information before use.

Oxypy is an insect control product for indoor use. It is to be used specifically for treatments for flying and crawling insects and mites (including scabies). **Oxypy** is a ready-to-use solution designed for use with the **Nocotech** range of sprays or for local application with a sprayer.



Economical



Eradicates flying and
crawling insects and mites

PRECAUTIONS FOR USE

Consult the product's safety data sheet, available on request by email: info@biohygien teknik.com

REFERENCES AND PACKAGING

	REFERENCE
1 L BOTTLE	4200.001
20L CAN	4200.020

COMPOSITION

Permethrin 5% • EC=258-067-9 / CAS=52645-53-1.
Chrysanthemum cinerariaefolium, extract of open and mature *Tanacetum cinerariifolium* flowers obtained with supercritical carbon dioxide 0.25 % • EC = 289-699-3 / CAS = 89997-63-7 Pyperonyl butoxide 0.5 % • EC=200-076-7 / CAS = 51-03-6.

STORAGE

Store the product in its original packaging, upright and in a cool, well-ventilated area.

- Storage in the original closed packaging: 2 years from the date of manufacture.
- Storage once opened: 2 months from the date of opening.



INSTRUCTIONS FOR USE

- 1 Follow the instructions for use of the **Nocotech** spray device (see instructions for use and quickstart document).
- 2 Shake the bottle before use.
- 3 Screw the 1 L bottle into the **Nocospray** spraying device or the 20 L ca into the **Nocomax** spraying device.
- 4 Set the device according to the volume (V) of the room.
- 5 When the spraying is completed, follow a contact time of 2 hours and then ventilate the room for 10 minutes.
- 6 Remove the bottle after use and close it again.
- 7 The treatment can be renewed every 4 weeks.
If there is a bed in the space to be treated, remove the mattress from the bed and place it on its edge before the treatment.

IMPORTANT

- Throughout the operation of the machine and the contact time, keep the room closed and do not enter it. The treatment must be performed away from humans.